



# TEST REPORT

Certificate of accreditation № AT-2621 / 19.12.2019, valid until 01.10.2020  
Issued by ANSI National Accreditation Board (ANAB), USA, according to ISO/IEC 17025:2017

№ and date of test report	RA38900 / 28.01.2020	Internal request for testing №	RA38900 / 22.01.2020
		Testing period	22.01.2020–27.01.2020

Customer:	Dragonfly Biosciences Bulgaria Ltd
Customer's address:	9 Vladimir Vazov Blvd., Office 8, entrance 1, fl.4, 1510 Sofia
№ and date of assignment document:	-
Method of arrival of the test item:	Personally
Date of receipt of test item:	22.01.2020
Test item:	Dragonfly CBD 500 mg (5,6%) N.S. Cannabidiol oil Cinnamon and Stevia; Batch no 0601; Проба №9
Manufacturer:	Dragonfly Biosciences Bulgaria
Normative references :	Ph. Eur 2.6.13, Ph. Eur. 2.6.13, Ph.Eur 2.6.12, Ph.Eur. 2.6.12, Ph.Eur. 2.6.13
Number of test items:	15 ml
Test performed by:	Biologist Maria Bisheva
Test report issued by:	Chemical engineer Dimitar TANEV

TC GLOBALTEST Manager  
Dipl.eng Dimitar Tanev



stamp



Results are listed on pages 2 to 2

ESD 7.8-1

**NOTE:**

Test results are only for the tested item. The report could be used only in its whole. Test report is valid only with "wet" stamp or signed electronically.

**RESULTS FROM TESTS – Test report RA38900 / 28.01.2020**

Type of characteristic / Parameter	Method	Unit of measurement	Limit (Range)	Result	Uncertainty	Test conditions	Type
Bile-tolerant gram-negative bacteria	Ph. Eur. 2.6.13	cfu/g	NMT 100 cfu/g <sup>*</sup>	<10	-	35.0 ± 0.1 °C	a
Escherichia coli	Ph. Eur. 2.6.13	-	Absence in 1 g <sup>*</sup>	Absent in 1g	-	35.0 ± 0.1 °C	a
Salmonella	Ph. Eur. 2.6.13	-	Absence in 10 g <sup>*</sup>	Absent in 10g	-	35.0 ± 0.1 °C	a
Staphylococcus aureus	Ph.Eur. 2.6.13	-	Absence in 1 g <sup>*</sup>	Absent in 1g	-	35.0 ± 0.1 °C	a
Total aerobic microbial count (TAMC)	Ph.Eur 2.6.12	cfu/g	NMT 10 000 cfu/g <sup>*</sup>	<10	-	35.0 ± 0.1 °C	a
Total yeast / mold count (TYMC)	Ph.Eur. 2.6.12	cfu/g	NMT 100 cfu/g <sup>*</sup>	<10	-	25.0 ± 0.1 °C	a

\*The limits are in accordance with the client's requirements and are as given in Eur. Ph. 5.1.4

*(a) – the test method is in scope of accreditation; (na) – the test method is out of scope of accreditation;*